A Group Brand | legrand

# SIMPLER SMARTER THAN EVER





## Classia

RECOMMENDED PRICE LIST

2022

bticino

16 plate finishes to match with
2 different colors of controls:
white glossy - black satin.
The richness grows with
the richness of frame from tone
to tone effects to metal gold,
chrome, nickel.

# SIMPLE CHOICE

## BASICS

White

Cream

Moka

Black

## FRAMES

Ice satin

Cream satin

White satin

Black satin

## FINISHES

Titanium metal

Siena soft

Blue metal

Terra soft

## ACCENTS

White gold

White chrome

Black nickel

Black gold

A unique and complete offer with all the modular systems: Italian and European standard.

# SMART SOLUTION

**THREE MODULES**
Italian standard

# ALL POSSIBLE COMBINATIONS

6 For European installation system - up to 5 gangs




5 For Italian installation system



# CLASSIA
## Switches

RW4001P

RG4001P

RW4001M2P

RG4001M2P

RW4002L

RG4002L

| Item | ONE-WAY SWITCHES | PRICE |
|---|---|---|
| ☐ RW4001P | 1P 10 AX - 250 Va.c. - 1 module - white | 45.65 LE |
| ■ RG4001P | as above - black | 51.20 LE |
| ☐ RW4001M2P | 1P 10 AX - 250 Va.c. - 2 modules - white | 68.05 LE |
| ■ RG4001M2P | as above - black | 74.10 LE |
| ☐ RW4002L | 2P 16 AX - 250 Va.c. - lightable with led lamp 230 V included - 1 module - white | 137.75 LE |
| ■ RG4002L | as above - black | 154.10 LE |

RW4003P

RG4003P

| | TWO-WAY SWITCHES | PRICE |
|---|---|---|
| ☐ RW4003P | 1P 10 AX - 250 Va.c. - 1 module - white | 65.05 LE |
| ■ RG4003P | as above - black | 70.25 LE |

RW4004P

RG4004P

| | FOUR-WAY SWITCHES | PRICE |
|---|---|---|
| ☐ RW4004P | intermediate switch 10 AX - 250 Va.c. - 1 module - white | 162.30 LE |
| ■ RG4004P | as above - black | 186.40 LE |

RW4005P

RG4005P

RW4042V230

RG4042V230

| Item | PUSHBUTTONS | PRICE |
|---|---|---|
| ☐ RW4005P | 1P (NO) 10 A - 250 Va.c. - 1 module - white | 68.05 LE |
| ■ RG4005P | 1P (NO) 10 A - 250 Va.c. - 1 module - black | 74.10 LE |
| ☐ RW4042V230 | 1P (NO) 10 A - 250 Va.c. - bell symbol - lightable with led lamp 230 V included - 1 module - white | 137.30 LE |
| ■ RG4042V230 | as above - black | 158.40 LE |

RW4037

RG4037

| | SHUTTER SWITCHES | PRICE |
|---|---|---|
| ☐ RW4037 | double 1P (NO) + 1P (NO) 10A - 250Va.c. interlocked - 1 module - white | 195.90 LE |
| ■ RG4037 | as above - black | 224.70 LE |



NOTE: ☐ **White** colour device ■ **Black** colour device ○ Neutral item

# CLASSIA
## Socket outlets

RW4141P

RG4141P

R4141A

R4141R

R4141V

| Item | GERMAN STANDARD | PRICE |
|---|---|---|
| ☐ RW4141P | socket 2P+E 16A 250 Va.c. - socket with earth side contacts - shielded tulip contacts - white | 83.55 LE |
| ■ RG4141P | as above - black | 89.15 LE |
| ○ R4141A | as above - orange | 90.85 LE |
| ○ R4141R | as above - red | 97.25 LE |
| ○ R4141V | as above - green | 97.25 LE |

RW4139

RG4139

| | MULTISTANDARD SOCKETS | PRICE |
|---|---|---|
| ☐ RW4139 | socket 2P+E 5/6/10/13 A 250 Va.c. and 127 Va.c. multistandard - 5 A and 13 A = BS std; 6 A = Indian std., 10 A = European std. - white | 167.50 LE |
| ■ RG4139 | as above - black | 189.00 LE |

RW4180P

RG4180P

| | ITALIAN STANDARD | PRICE |
|---|---|---|
| ☐ RW4180P | 2P+E 16 A 250 Va.c. socket - center distance 19 mm and 26 mm - shielded tulip contacts - for plugs 2 P and 2 P+E 10 and 16 A Italian standard - white | 66.30 LE |
| ■ RG4180P | as above - black | 77.05 LE |

RW4125P

RG4125P

| | EURO-AMERICAN STANDARD | PRICE |
|---|---|---|
| ☐ RW4125P | socket 2P 16 A 127/250 Va.c. - shielded holes - white | 45.65 LE |
| ■ RG4125P | as above - black | 51.20 LE |

# CLASSIA
## Telephone and data sockets

RW4258RJ11

RG4258RJ11

RW4279C5E

RG4279C5E

RW4279C6

RG4279C6

RW4279C6AS

RG4279C6AS

| Item | RJ CONNECTORS | PRICE |
|---|---|---|
| ☐ **RW4258RJ11** | RJ11 connector type K10 - 1 module - white | 93.40 LE |
| ■ **RG4258RJ11** | as above - black | 124.45 LE |
| ☐ **RW4279C5E** | RJ45 toolless UTP cat5E - 1 module - white | 143.35 LE |
| ■ **RG4279C5E** | as above - black | 162.30 LE |
| ☐ **RW4279C6** | RJ45 toolless UTP cat6 - 1 module - white | 143.35 LE |
| ■ **RG4279C6** | as above - black | 162.30 LE |
| ☐ **RW4279C6AS** | RJ45 toolless STP cat6A - 1 module - white | 259.60 LE |
| ■ **RG4279C6AS** | as above - black | 329.40 LE |

# CLASSIA
## TV sockets

RW4202D

RG4202D

RW4202F

RG4202F

| | TV SOCKETS | PRICE |
|---|---|---|
| ☐ **RW4202D** | star coaxial socket for single-user aerial systems, also remote powered and centralised, and single-user / centralised satellite systems with current and signal transfer for channels selection; shielded connection clamps with captive screws - Ø 9.5 mm; male connector - 1 module - white | 113.65 LE |
| ■ **RG4202D** | as above - black | 116.65 LE |
| ☐ **RW4202F** | type-F coaxial socket - impedance 75 ohm - screw hook - 1 module - white | 113.65 LE |
| ■ **RG4202F** | as above - black | 116.65 LE |



NOTE: ☐ **White** colour device ■ **Black** colour device ○ Neutral item

# CLASSIA
## Dimmers

RW4402

RG4402

RW4411

RG4411

| | DIMMER | PRICE |
|---|---|---|
| ☐ RW4402 | rotary dimmer 40 - 400 W 230 Va.c. - 2 modules - white | 446.40 LE |
| ■ RG4402 | as above - black | 470.10 LE |
| ☐ RW4411 | universal dimmer (resistive – inductive, capacitive, fluorescent compact and dimmer LEDs) - 150/200/400 W with electronic protection - 2 modules - white | 1485.25 LE |
| ■ RG4411 | as above - black | 1708.30 LE |

**Loads**

| Item | Type | Range (Va.c.) | Supply std | Incandescents and hologens | Halogens with ferromagnetic transformer | Halogens with electronic transformer | Dimmerable compact fluorescents | Dimmerable LED lamps |
|---|---|---|---|---|---|---|---|---|
| RW4402<br>RG4402 | Resistive | 230<br>50 | 230 Va.c. | 40 ÷ 400 W | | | | |
| RW4411<br>RG4411 | Universal | 100 ÷ 240<br>50 ÷ 60 | 230 Va.c.<br>100 Va.c. | 3 ÷ 200 W<br>3 ÷ 400 W | 3 ÷ 200 VA<br>3 ÷ 400 VA | 3 ÷ 200 VA<br>3 ÷ 400 VA | 3 ÷ 75 W<br>3 ÷ 150 W | 3 ÷ 75 W<br>3 ÷ 150 W |

# CLASSIA
## Electronic Controls & Special Sockets

RW4287C2

RG4287C2

| | USB CHARGER | PRICE |
|---|---|---|
| ☐ RW4287C2 | 5 Vdc USB charger TYPE A and C for quick charge of one single electronic device (mobile phones, smartphones,tablets or similar) up to 3000 mA or simultaneouscharging of two devices up to 1500 mA- 110÷230 Va.c. 50÷60 Hz power supply - 2 modules - white | 544.60 LE |
| ■ RG4287C2 | as above - black | 625.95 LE |

# CLASSIA
## Optical and acoustic signallings

RW4351V230

RG4351V230

| | BELLS AND BUZZERS | PRICE |
|---|---|---|
| ☐ RW4351V230 | bronze bell 230 Va.c. 8 VA - 1 module - white | 254.80 LE |
| ■ RG4351V230 | as above - black | 292.30 LE |

NOTE: ☐ **White** colour device ■ **Black** colour device ○ Neutral item

# CLASSIA
## Blanking modules

RW4950

RG4950

| | BLANKING MODULES AND OUTPUTS | PRICE |
|---|---|---|
| ☐ RW4950 | blank plate - 1 module - white | 12.05 LE |
| ■ RG4950 | as above - black | 14.70 LE |

# COVER PLATES: TABLE FOR SELECTING CODE
## Area Italian installation system

### SUPPORTS

| BASICS | | PRICE |
|---|---|---|
| White | R4803RW | 21.95 LE |
| Cream | R4803CR | 21.95 LE |
| Moka | R4803MK | 21.95 LE |
| Black | R4803BC | 21.95 LE |
| **FRAMES** | | |
| Ice satin | R4803ES | 63.30 LE |
| Cream satin | R4803CS | 63.30 LE |
| White satin | R4803WS | 63.30 LE |
| Black satin | R4803BG | 63.30 LE |
| **FINISHES** | | |
| Titanium metal | R4803TM | 63.30 LE |
| Siena soft | R4803SF | 63.30 LE |
| Blue metal | R4803LM | 63.30 LE |
| Terra soft | R4803TF | 63.30 LE |
| **ACCENTS** | | |
| White gold | R4803WD | 175.20 LE |
| White chrome | R4803WR | 175.20 LE |
| Black nickel | R4803BH | 175.20 LE |
| Black gold | R4803BD | 175.20 LE |

### FRAME

| | | PRICE |
|---|---|---|
| | R4703P | 20.60 LE |



NOTE: ☐ **White** colour device ■ **Black** colour device ○ Neutral item

# COVER PLATES COLOURS

## BASICS



White - **RW**

Cream - **CR**

Moka - **MK**

Black - **BC**

## FRAMES



Ice satin - **ES**

Cream satin - **CS**



White satin - **WS**

Black satin - **BG**

## FINISHES

Titanium metal - **TM**

Siena soft - **SF**

Blue metal - **LM**

Terra soft - **TF**

## ACCENTS



White gold - **WD**

White chrome - **WR**

Black nickel - **BH**

Black gold - **BD**

NOTE: ☐ **White** colour device ■ **Black** colour device ○ Neutral item

# Notes

# Notes

# Notes

## قائمة الأسعار الإسترشادية

تعمل شركة بتشيـنـو - إحدي شركات ليجراند العالمية - علي مدار الساعة في مجالات البحث و التطوير لتقديم أفضل الحلول و المنتجات من حيث الجودة للقطاعات السكنية والتجارية. كما تسعي دائماً للوصول إلي التميز في خدمة عملائها الكرام.

و من هذا المنطلق ندعوا سيادتكم لإتباع التعليمات الأتية لضمان حقوقكم كافه :

- يجب ان يتم الشراء بفاتورة ضريبية طبقا لقانون ضريبة القيمة المضافة و الاحتفاظ بها لتاكيد حقوق المشتري في تطبيق سياسة الضمان و الاسترجاع

**سياسة الضمان و الإسترجاع:**

- مدة الضمان عامان من تاريخ الإنتاج ضد عيوب الصناعة.
- سياسة الإسترجاع تنص علي تقديم فاتورة ضريبية مع البضاعة المعنية بالضمان او الإسترجاع و ذلك طبقا لقانون حماية المستهلك.

- هذه القائمة سارية حتي ٢٠٢٢/١٢/٣١
- هذه القائمة تجب وتلغي جميع القوائم السابقة

**EMB Electrical Industries S.A.E.**

**Headquarter office**
Pyramids Heights Office Park
KM 22 Cairo - Alex. desert road
Building 9C, 12556
Tel.: +202 3536 0000
Fax: +202 3536 0001
www.bticino.com

FOLLOW US ON

www.bticino.com.eg
facebook.com/bticinoEgypt
instagram.com/bticinoEgypt

bticino
A Group Brand | legrand