NEW SOLUTIONS

FOR CONNECTING, (RE)CHARGING, **ORGANISING** 冦

--> CATALOGUE PAGES INSIDE







NEW SOLUTIONS FOR

CONNECTION

Multiple uses, for multiple benefits. Regardless of what you are doing and how much space is available, Legrand multi-outlet products offer you peace of mind and make your life more efficient.
Practical, ingenious and attractive, a solution is always at your fingertips.



























CONTENTS

UNIVERSAL SOLUTIONS

Connect everything simply with double, triple and multi-outlet adapters	02	
(Re)charge, protect, orient with rotating multi-outlet extensions	06	
SOLUTIONS FOR DEDICATED SPACES		
Angled multi-outlet extension	10	
Multi-outlet extension with integrated stand	12	
Multi-outlet extension for TV area		
Clip-on multi-outlet extension	16	
Charging station	18	
CATALOGUE PAGES	20	






















FRONT-ACCESS **DOUBLE ADAPTER** AND TRIPLE **ADAPTER**

With double and triple

devices into.

adapters, you've always got

a spare socket to plug your

The socket orientation makes it easy to plug in

your devices.

CHARACTERISTICS

 $2 t_0 3$

2P+E sockets

White/Light grey

Black/Dark grey





The side-access triple adapter is the ideal solution for plugging in devices in tight spaces.

CHARACTERISTICS

3 2P+E sockets

White/Dark grey

Aluminium/Dark grey





You have 2 sockets accessible at any time and can also charge your USB Type-A and USB Type-C standard devices, such as smartphones or tablets.

ROTATING TRIPLE

ADAPTER











2 2P+E sockets



USB Type-A USB Type-C

Rotating body



White/Dark grey Aluminium/Dark grey



You have two 2P socket outlets underneath and USB type-A and USB Type-C socket outlets for charging your devices.

DOUBLE ADAPTER


WITH EXTRA-SLIM

USB CHARGER

(†) It also has a stand for a smartphone and a storage system for



CHARACTERISTICS










> Go to selection chart on p. 20

⊕ www.legrand.com -







Create multiple socket outlets


Efficient day-to-day solutions for all your interior connections.








The multi-outlet extension comes in three finishes so it can blend in seamlessly in your working environment or leisure areas.











> Go to selection chart on p. 20





The multi-outlet extension

that delivers even more...


A design from Legrand to further simplify all types of use!







A unique ingenious cylindrical design for greater convenience. With its rotating socket block, you can orient the socket outlets to suit your needs.

You can fix the multi-outlet extension horizontally or vertically using screws or cable ties according to your preference.









With the Legrand Flush socket, you have a safe, attractive socket which prevents dust from accumulating. The socket recess only moves back when a plug is inserted.



> Go to selection chart on p. 21















... with functions that meet all your needs


In addition to their cylindrical design and Flush sockets, you can also plug in your USB Type-A or USB Type-C mobile devices. Functions such as surge protection, load indication and a built-in circuit breaker guarantee you peace of mind regardless of the types of use.



The rotating multi-outlet extension can be used to plug in all your devices. USB Type-A and USB Type-C chargers are incorporated on the front for all your mobile devices, while allowing the sockets to still be used.



The rotating multi-outlet extension is also available in a version equipped with an surge protection with indicator to protect your devices against overvoltages.



Overload circuit breaker for protection against risks of overheating. The load indicator increases safety with its display of the power consumption.

The unit is disconnected if its maximum power is exceeded. It can be reset after unplugging one or more devices.

CHARACTERISTICS



3 to 6 2P+E Flush sockets Illuminated ON/OFF



1809 Rotating body



1.5 m cable 3 m cable



White/Dark grey Black/Dark grey

OPTIONAL



Surge protection with LED indicator



USB Type-A USB Type-C





Resettable integrated circuit breaker

> Go to selection chart on p. 21

DETAILS THAT MAKE A DIFFERENCE

BEDROOM

LIVING ROOM

OFFICE

KITCH











Multi-outlet extension

at an angle

Install it wherever you want and enjoy the satisfaction of a well-organised work surface.








The angled multi-outlet extension is designed to fit in seamlessly on your work surface or in an office. Your work surface is always optimised.



Can be fixed horizontally or vertically, to keep your work surface clear.



The angled multi-outlet extension can be fixed with screws or double-sided tape. The cable feedthrough located at the back allows you to run the cable to the right or left to suit your needs

CHARACTERISTICS WHITE/ALUMINIUM VERSION



3 Flush 2P+E sockets



USB Type-A USB Type-C Without cord

1 m cable






Flush 2P+E sockets





























A dual-purpose

multi-outlet extension

for your kitchen area

CHARACTERISTICS



3 2P+E sockets











White/Light grey



Do you love to cook and use your tablet to follow a recipe, listen to music etc? The multi-outlet extension with stand allows you to plug in all your electrical and mobile equipment, while providing an ergonomic stand for your tablet or smartphone.




The multi-outlet extension with integrated tablet stand is the ideal companion for plugging in up to three 2P+E sockets and two USB Type-A sockets while preparing delicious dishes using your tablet or smartphone.








The handy built-in stand has a non-slip surface. Your tablet sits firmly in place while charging or while you're following a recipe on screen.









BEDROOM

LIVING ROOM

OFFICE





Multi-outlet extension for the multimedia area which fits in discreetly



power up to 8 devices and to organise your cables. Your multimedia area was never so well organised before! The multi-outlet extension can also protect all your multimedia equipment against lightning strikes thanks to the integrated surge protection.

The multi-outlet

extension for the TV area

allows you to plug in and

CHARACTERISTICS



4 2P+E sockets









Thanks to its high-quality finish and aluminium cover, the multi-outlet extension integrates seamlessly into the furniture and multimedia equipment (TV, sound bar, games console, router, DVD/Blu-ray player, etc).



The multi-outlet extension has an illuminated main switch and surge protection.



Legrand holds an exclusive patent for the Flush socket: the socket recess only moves back when a plug is inserted. This gives you a safe and attractive socket which prevents dust from accumulating.



The multi-outlet extension for the TV area allows you to organise cables discreetly under its aluminium cover.



BEDROOM


LIVING ROOM

OFFICE









The clip-on multioutlet extension allows you to plug in devices that are plugged in permanently and charge mobile products without clogging up your surfaces.

CHARACTERISTICS








ON/OFF

1.5 m cable







Discreet and attractive, it allows you to plug in up to four 2P+E equipment and two USB Type-A mobile devices.





Thanks to its clip-on system, the multi-outlet extension is suitable for work surfaces up to 63 mm thick.





OFFICE











Charge your smartphone efficiently without plugging in a cable thanks to its wireless charging station or using the USB type-A and USB Type-C sockets.

Compact and convenient multi-outlet extension with its wireless charger



An ideal solution for home or office.



Place your smartphone on the non-slip angled surface, keep an eye on your messages while your smartphone charges wirelessly and in complete safety.

CHARACTERISTICS









ON/OFF




2 m cable



The charging station comes in two finishes so it can blend in seamlessly in your working environment or leisure areas.









DESIGNED WITH TECH

ADDICTS IN MIND

COMPACT,

PRACTICAL, AT YOUR FINGERTIPS



Multifunction multi-outlet extensions

Product	so	o of cket tlets	Cord	USB	SPD ⁽¹⁾ / MCB ⁽²⁾ &	Wireless	Colour					
	2P	2P+E			indicator	charger	○ White	Black	Taupe/ Dark Grey	White/ Dark Grey	O White/ Alu finish	
1) 2	-	2	2 m 3G 1.5 mm²	Type-A + Type-C	-	Yes	-	-	6 945 00	6 945 06	-	
			-	Type-A + Type-C	-	-	-	-	-	-	6 945 04	
	-	3	1 m 3G 1.5 mm²	Type-A + Type-C	-	-	-	-	-	-	6 945 02	
			-	-	-	-	6 945 03	-	-	-	-	
	-	4	1 m 3G 1.5 mm²	-	-	-	6 945 01	-	-	-	-	
	-	3	1.5 m 3G 1.5 mm²	2 Type-A	MCB	-	6 948 10	6 948 11	-	-	-	
	4 (6 A)	4	2 m 3G 1.5 mm²	-	SPD	-	-	6 945 95	-	-	-	
1900	4 (2.5 A)	4	2 m 3G 1.5 mm²	-	SPD	-	-	6 945 15	-	-	-	
	-	4	1.5 m 3G 1.5 mm ² (rotating)	2 Type-A	-	-	-	6 948 12	-	-	-	



Multifunction multi-outlet extensions (continued)

	Nb of 2P+E			SPD ⁽¹⁾ & LED	MCB ⁽²⁾ &	Co	lour
Product	socket outlets	Cord	USB	indicator	overload indicator	White/ Dark Grey	Black/ Dark Greg
		Without cord	-	-	-	6 945 43	-
			-	-	-	6 945 27	6 945 28
	3	1.5 m 3G 1.5 mm²	Type-A + Type-C	Yes	-	6 945 08	6 945 12
		3 m 3G 1.5 mm²	-	-	-	6 945 35	-
		5 m 3G 1.5 mm²	-	-	-	6 945 41	-
		Without cord	-	-	-	6 945 44	6 945 45
			-	-	-	6 945 29	6 945 30
	4	1.5 m 3G 1.5 mm²	-	Yes	-	6 945 07	6 945 11
			-	-	Yes	6 945 25	-
		3 m 3G 1.5 mm²	-	-	-	6 945 36	6 945 3
		Without cord	-	-	-	6 945 46	-
		1.5 m 3G 1.5 mm ²	-	-	-	6 945 31	6 945 32
	5		Type-A + Type-C	Yes	-	6 945 10	6 945 14
		3 m 3G 1.5 mm²	-	-	-	6 945 38	-
		5 m 3G 1.5 mm²	-	-	-	6 945 42	-
		Without cord	-	-	-	6 945 47	6 945 48
			-	-	-	6 945 33	6 945 3
A COCCODE	6	1.5 m 3G 1.5 mm²	-	Yes	-	6 945 09	6 945 10
	'		-	-	Yes	6 945 26	-
		3 m 3G 1.5 mm²	-	-	-	6 945 39	6 945 4
	4	2 m 3G 1.5 mm²	-	Yes	-	6 945 05	-

^{1:} Surge Protection Device 2: Miniature Circuit Breaker



Multi-outlet plugs and extensions

		socket tlets	Socket			Colour					
Product	2P	2P+E	outlet orientation	Rotating	USB	○ White/Light Grey		/hite/Dark Grey	Black/Dark Grey		Alu finish
S.	2			-	Type-A +		6 94	5 91 (5 A)	_		-
		-	Side	• • • • • • • • • • • • • • • • • • • •	Type-C	6 945 90 (10 Δ)	0 49	4 01 (12 Á)			
	4			-	-	6 945 90 (10 A) 0 494 00 (16 A)		-	-		-
9	_	2	Front	-	-	6 945 16		-	6 945 1	7	-
		3		-	-	6 945 18		-	6 945 1	9	-
		2		Yes	Type-A + Type-C	-	6	945 22	-		6 945 24
0	-		Side	-	-	-	6	945 20	-		6 945 23
		3		Yes	-	-	6	945 21	-		-
JLTI-OUTLET EX	KTENSION	S FOR I	UNIVERSAL U	ISE							
Prod	at		Nb of 2P+E socket		ord			Col	our		
Prod	uct		outlets	C	ora	○ White/Light 0	erey	● Black/I	Dark Grey		
				Without cord		6 945 73	6 94				-
			3	1.5 m 3G 1.5 mm²		6 945 49	6 945		5 50		6 945 51
				3 m 3G 1.5 mm²		6 945 59		6 94	5 60		-
				5 m 3G 1.5 mm²		6 945 67		6 94	5 68		-
				Without cord		6 945 75	5 69		5 76		-
			4	1.5 m 3G 1.5 mm²		6 945 52	6 945 52		5 53		6 945 54
			4	3 m 3G 1.5 mm ²		6 945 61	6 945 61		5 62		-
6333	13			5 m 3G	1.5 mm²	6 945 69	6 945 69		5 70		-
				Without cord		6 945 77		6 945 78		-	
			5	1.5 m 30	G 1.5 mm²	6 945 55	6 945 55		5 56		-
			5	3 m 3G	1.5 mm²	6 945 63		6 945 64		-	
					3 1.5 mm²	6 945 71			-		-
				Witho	out cord	6 945 79		6 94	5 80		-
0000	22	<			G 1.5 mm²	6 945 57		6 94	5 58		-
			6	3 m 3G	3 1.5 mm²	6 945 65		6 94	5 66		-
				5 m 3G	1.5 mm²	_		6 94	15 72 -		

Multifunction multi-outlet extensions





6 945 32

For indoor use only 16 A - 230 V - 3680 W MAX

Pack	Cat.Nos	
		switch Equipped with: - flush socket outlets angled 45° (except for one angled 90° for plugging in a bulky transformer without locking out another socket) - 1 On/Off illuminated switch - rotating body To be cabled with a 3G 1.5 mm² cord Can be fixed with screws (not supplied) or cable ties (not supplied)
5	6 945 43	3 x 2P+E ● White/Dark Grey
5 5		4 x 2P+E ① White/Dark Grey ● Black/Dark Grey
5	6 945 46	5 x 2P+E ● White/Dark Grey
5 5		6 x 2P+E ① White/Dark Grey ● Black/Dark Grey
		Multi-outlet extensions with cord and switch
		Equipped with: - flush socket outlets angled 45° (except for one angled 90° plugging in a bulky transformer without locking out another socket) - 1 On/Off illuminated switch - rotating body Can be fixed with screws (not supplied) or cable ties (not supplied)
5 5	6 945 27 6 945 28	3 x 2P+E - 1.5 m cord ① White/Dark Grey - 3G 1.5 mm² ● Black/Dark Grey - 3G 1.5 mm²
5	6 945 35	3 x 2P+E - 3 m cord ① White/Dark Grey - 3G 1.5 mm²
5	6 945 41	3 x 2P+E - 5 m cord ① White/Dark Grey - 3G 1.5 mm²
5 5		4 x 2P+E - 1.5 m cord ① White/Dark Grey - 3G 1.5 mm² ● Black/Dark Grey - 3G 1.5 mm²
5 5		4 x 2P+E - 3 m cord ① White/Dark Grey - 3G 1.5 mm² ● Black/Dark Grey - 3G 1.5 mm²
5 5		5 x 2P+E - 1.5 m cord ① White/Dark Grey - 3G 1.5 mm² ① Black/Dark Grey - 3G 1.5 mm²
5	6 945 38	5 x 2P+E - 3 m cord ① White/Dark Grey - 3G 1.5 mm²

5 x 2P+E - 5 m cord 6 945 42 White/Dark Grey - 3G 1.5 mm²

MULTI-OUTLET SOLUTIONS

PLUG IN AS YOU WISH, ANYWHERE!

Whether you want to recharge devices or plug in items of equipment, our innovative and ingenious multi-outlet solutions will meet your needs efficiently, anywhere in your home or at work!



TV multi-outlet extension Cat.No 6 945 95


Angled multi-outlet extension with USB ports Cat.No 6 945 02



Charging station with wireless charger and USB ports Cat.No 6 945 00











la legrand

Multifunction multi-outlet extensions (continued)



For indoor use only

	0 V - 3680	WMAX			
Pack	Cat.Nos	Multi-outlet extensions with cord and switch (continued)	Pack	Cat.Nos	Multi-outlet extensions with cord, S
5 5		6 x 2P+E - 1.5 m cord ① White/Dark Grey - 3G 1.5 mm² ② Black/Dark Grey - 3G 1.5 mm²			Equipped with: - flush socket outlets angled 45° (except for angled 90° plugging in a bulky transformed locking out another socket)
5 5		6 x 2P+E - 3 m cord ① White/Dark Grey - 3G 1.5 mm² ● Black/Dark Grey - 3G 1.5 mm²			- 1 On/Off illuminated switch - 2 x USB Type-A and USB Type-C ports, V - 15 W MAX. Used for recharging smart tablets and other electronic devices
		Multi-outlet extensions with cord and SPD Equipped with: - flush socket outlets angled 45° (except for one angled 90° plugging in a bulky transformer without locking out another socket) - 1 On/Off illuminated switch - rotating body Can be fixed with screws (not supplied) or cable ties (not supplied) Integrated surge protective device (SPD): protects electronic equipment against lightning strikes Indicator signalling the surge protective device status: - green LED: the multi-outlet extension is protected - LED off: the multi-outlet extension is not protected but functional 4 x 2P+E - 1.5 m cord	5 5 5 5	6 945 12 6 945 10	- rotating body Can be fixed with screws (not supplied) or (not supplied) Integrated surge protective device (SPD): electronic equipment against lightning stri Indicator signalling the surge protective distatus: - green LED: the multi-outlet extension is part LED off: the multi-outlet extension is not but functional 3 x 2P+E - 1.5 m cord White/Dark Grey - 3G 1.5 mm² 5 x 2P+E - 1.5 m cord White/Dark Grey - 3G 1.5 mm² Black/Dark Grey - 3G 1.5 mm² Black/Dark Grey - 3G 1.5 mm²
5 5		White/Dark Grey - 3G 1.5 mm²● Black/Dark Grey - 3G 1.5 mm²	USE	3 Type-C	standardisation
5 5		6 x 2P+E - 1.5 m cord ① White/Dark Grey - 3G 1.5 mm² ● Black/Dark Grey - 3G 1.5 mm²		pe-C: new nnector (T	miniaturised reversible version of the traditype-A)
		Multi-outlet extensions with cord, MCB and overload indicator Equipped with: - flush socket outlets angled 45° (except for one angled 90° plugging in a bulky transformer without		\{\begin{aligned} \begin{aligned} align	

- angled 90° plugging in a bulky transformer without locking out another socket)
 1 On/Off illuminated switch

- rotating body
Can be fixed with screws (not supplied) or cable ties (not supplied)


Resettable overload protection (MCB) with LED indicator:

- green LED: normal consumption
- red LED: near maximum charge
- LED off: power off due to an overload. To reset, unplug the device and press the reset button on the side of the multi-outlet extension

		OOD ports
		Equipped with: - flush socket outlets angled 45° (except for one angled 90° plugging in a bulky transformer without locking out another socket) - 1 On/Off illuminated switch - 2 x USB Type-A and USB Type-C ports, 3.0 A - 5.0 V - 15 W MAX. Used for recharging smartphones, tablets and other electronic devices - rotating body Can be fixed with screws (not supplied) or cable ties (not supplied) Integrated surge protective device (SPD): protects electronic equipment against lightning strikes Indicator signalling the surge protective device status: - green LED: the multi-outlet extension is protected but functional
_	0.045.00	3 x 2P+E - 1.5 m cord
5		White/Dark Grey - 3G 1.5 mm ²
5	6 945 12	Black/Dark Grey - 3G 1.5 mm ²
_		5 x 2P+E - 1.5 m cord
5		White/Dark Grey - 3G 1.5 mm ²
5	6 945 14	Black/Dark Grey - 3G 1.5 mm ²

SPD and

ditional



The European Commission and major smartphone manufacturers have signed an M.o.U (Memorandum of Understanding) aiming to standardise equipment and use of Type-C connectors 7 leading manufacturers are signatories to the agreement guaranteeing compatibility of their smartphones with USB Type-C chargers: Apple, Samsung, Google, LG, Sony, Lenovo, Motorola Standardication:

- Standardisation:
- simplifies connection for users
- optimises charging performance and ensures compatibility Legrand's new multi-outlet extensions integrate USB Type-A and USB Type-C to cover any scenario depending on the device to be connected

5

Multifunction multi-outlet extensions (continued)



For indoor use only 16 A - 230 V - 3680 W MAX

Pack Cat.Nos Vertical multi-outlet extension with cord, switch and SPD Can be put on the floor to connect and protect all devices Equipped with: - 4 x 2P+E flush socket outlets angled 45° (except for one angled 90° for plugging in a bulky transformer without locking out another socket) - 1 On/Off illuminated switch on top of the multioutlet extension - 3G 1.5 mm² cord (length: 2 m) - rotating body - clip for cable management on top of the multi-outlet extension Integrated surge protective device (SPD): protects electronic equipment against lightning strikes Indicator signalling the surge protective device - green LED: the multi-outlet extension is protected - LED off: the multi-outlet extension is not protected but functional Can be fixed with screws (not supplied) 945 05 White/Dark Grey

MULTI-OUTLET SOLUTIONS

INNOVATION,

SAFETY & EASE, AT ALL TIMES



With the Legrand Flush socket, you have a safe and attractive socket which prevents dust from accumulating. The socket recess only moves back when the plug is inserted.



With surge-protected (SPD) or overload-protected (MCB) solutions, you can safely plug in your devices, day in, day out!



MULTIPLE CHARGING SOLUTIONS

USB Type-A, USB Type-C or wireless: with Legrand solutions, you can choose one of a number of charging methods, for total flexibility! The advantage of a wireless charging station: no need to plug in.



Multifunction multi-outlet extensions (continued)

Multifunction multi-outlet extensions





6 945 02

For indoor use only

For indoo	r use only	
Pack	Cat.Nos	Multi-outlet extensions for dedicated
3 3		Charging stations with wireless charger and USB ports - for bed corner and workstation 10 A - 230 V - 2300 W MAX Compact charging stations with 5 ports equipped with: - 2 x 2P+E flush socket outlets - wireless charger for 10.0 W Qi-certified smartphones (with non-slip surface and charging indicator). Direct view on screen while charging - USB Type-A and USB Type-C ports: 3.0 A - 5.0 V - 15 W MAX - black 3G 1.5 mm² cord (length: 2 m) Taupe/Dark Grey White/Dark Grey
		TV multi-outlet extensions with cord, switch and SPD 16 A - 230 V - 3680 W MAX Special design for perfect integration and cable management in TV corner Equipped with: - 4 x 2P+E (16 A) and 4 x 2P socket outlets - 1 On/Off illuminated switch - 3G 1.5 mm² cord (length: 2 m) Integrated surge protective device (SPD): protects electronic equipment against lightning strikes Indicator signalling the surge protective device status: - green LED: the multi-outlet extension is protected
3	6 945 95 6 945 15	 - LED off: the multi-outlet extension is not protected but functional Aluminum (metal) cover allowing the installation of another device on top of the multi-outlet extension Black (2P socket outlets: 6 A) Black (2P socket outlets: 2.5 A)
		Angled multi-outlet extensions 16 A - 230 V - 3680 W MAX Adapted design for perfect integration in kitchen or workstation angle
5	6 945 02	© 3 x 2P+E - White/Alu finish With 1 m white cord 3G 1.5 mm² Equipped with 2 USB Type-A and USB Type-C ports: 3.0 A - 5.0 V - 15 W MAX
5	6 945 04	○ 3 x 2P+E - White/Alu finish Without cord Equipped with 2 USB Type-A and USB Type-C ports: 3.0 A - 5.0 V - 15 W MAX
5	6 945 01	O 4 x 2P+E - White With 1 m white cord 3G 1.5 mm ²
5	6 9/5 03	1 v 2P+F - White

Wireless power charging

• Products certified QI-WPC*

Low-emission technology compatible with the ICNIRP specifications concerning protecting people against electromagnetic fields

This wireless technology makes it possible to do away with cords and connectors

• Global standard 9

Adopted by the car industry and CHRs (Cafés/Hotels/Restaurants) Incorporated in 100% of Qi-enabled smartphones Average charging time < 2 hrs

Main compatible smartphones




See the full list on www.wirelesspowerconsortium.com

Brand	Range	Smartphone models
Apple	iPhone	12/11/X/8/8+
Samsung	Galaxy	S20 / S10 / S9 / S8 / S7 / S6 (Edge)
LG	G	V40 / V30 / G8 / G7 / G6 / G5 / G4 / G3
Sony	Xperia	Z4v / Z3v / XZ3 / XZ2 / DG 6703

USB Type-C standardisation

 $\ensuremath{\mathsf{USB}}$ Type-C: new miniaturised reversible version of the traditional $\ensuremath{\mathsf{USB}}$ connector (Type-A)



The European Commission and major smartphone manufacturers have signed an M.o.U (Memorandum of Understanding) aiming to standardise equipment and use of Type-C connectors 7 leading manufacturers are signatories to the agreement guaranteeing compatibility of their smartphones with USB Type-C

chargers: Apple, Samsung, Google, LG, Sony, Lenovo, Motorola

Standardisation:
- simplifies connection for users

- optimises charging performance and ensures compatibility
Legrand's new multi-outlet extensions integrate USB Type-A and
USB Type-C to cover any scenario depending on the device to be connected

6 945 03

O4 x 2P+E - White Without cord



Multifunction multi-outlet extensions (continued)

Multifunction multi-outlet extensions






For indoor use only 16 A - 230 V - 3680 W MAX

Pack	Cat.Nos	Multi-outlet extensions for dedicated
		spaces (continued)
1 1		Multi-outlet extensions with tablet support Equipped with: - 3 x 2P+E socket outlets - 2 x USB Type-A inputs (3.9 A Total) - 1 built-in non-slip tablet stand - 1 On/Off illuminated switch with resettable circuit breaker (16 A) - 3G 1.5 mm² cord (length 1.5 m) ○ White ■ Black
		Clip-on multi-outlet extension Equipped with: - 4 x 2P+E socket outlets - 2 x USB Type-A ports (3,4 A Total) - 1 On/Off illuminated switch - rotating 3G 1.5 mm² cord (length 1.5m), can be turned by 90° To be clipped onto a table or a desk (maximum thickness: 63 mm) Allows you to hide power outlets under a desk while leaving USB charging modules accessible
10	6 948 12	Black



Dimensions (in mm)




TV multi-outlet extension with cord, switch and surge protective device Cat.No 6 945 95

Example of implementation



Dimensions (in mm)



Opening system



Glegrand

Multi-outlet plugs and extensions for universal use





6 945 53













For indoor use only

6 945 91

Pack	Cat.Nos	Multi-outlet plugs - 2P
10	6 945 90	To plug in a 2P+E wall-mounted socket outlet ① White/Light Grey 10 A - 230 V - 2300 W MAX 4 x 2P 2.5 A side outlets
10	0 494 00	
		Multi-outlet plugs - 2P - with USB chargers
		To plug in a 2P+E wall-mounted socket outlet USB Type-A and USB Type-C ports: 3.0 A - 5.0 V - 15 W MAX Used for recharging smartphones, tablets and other electronic devices Equipped with a smartphone support
10	6 945 91	White/Dark Grey 5 A - 230 V - 1150 W MAX
10	0 494 01	2 x 2P 2.5 A side outlets 12 A - 230 V - 2760 W MAX 2 x 2P 6 A side outlets
		Multi-outlet plugs - 2P+E
		16 A - 230 V - 3680 W MAX
10 10	6 945 16 6 945 17	2 x 2P+E front outlets ① White/Light Grey ● Black/Dark Grey
10 10		3 x 2P+E front outlets ① White/Light Grey ● Black/Dark Grey
10 10		3 x 2P+E side outlets White/Dark Grey Alu finish/Dark Grey
10	6 945 21	3 x 2P+E side outlets - rotating White/Dark Grey
10 10		2 x 2P+E side outlets - rotating - USB ports USB Type-A and USB Type-C ports: 3.0 A - 5.0 V - 15 W MAX White/Dark Grey Alu finish/Dark Grey
		Multi-outlet extensions without cord
		16 A - 230 V - 3680 W MAX Equipped with socket outlets angled 45° (except for one angled 90° for plugging in a bulky transformer without locking out another socket) Extra-flat: can be slid underneath furniture To be cabled with a 3G 1.5 mm² cord
10 10	6 945 73 6 945 74	3 x 2P+E ① White/Light Grey ● Black/Dark Grey
10 10	6 945 75 6 945 76	4 x 2P+E ① White/Light Grey ● Black/Dark Grey
10 10	6 945 77 6 945 78	● Black/Dark Grey
10 10	6 945 79 6 945 80	6 x 2P+E ① White/Light Grey ● Black/Dark Grey

Pack	Cat.Nos	Multi-outlet extensions with cord
		16 A - 230 V - 3680 W MAX Equipped with socket outlets angled 45° (except for one angled 90° for plugging in a bulky transformer without locking out another socket) Extra-flat: can be slid underneath furniture
		3 x 2P+E - 1.5 m cord
10		White/Light Grey - 3G 1.5 mm ²
10		Black/Dark Grey - 3G 1.5 mm ²
10	6 945 51	White/Soft blue - 3G 1.5 mm ²
		3 x 2P+E - 3 m cord
10	6 945 59	White/Light Grey - 3G 1.5 mm ²
10	6 945 60	Black/Dark Grey - 3G 1.5 mm²
		3 x 2P+E - 5 m cord
10		White/Light Grey - 3G 1.5 mm ²
10	6 945 68	Black/Dark Grey - 3G 1.5 mm²
		4 x 2P+E - 1.5 m cord
10	6 945 52	White/Light Grey - 3G 1.5 mm²
10	6 945 53	Black/Dark Grey - 3G 1.5 mm²
10	6 945 54	White/Soft blue - 3G 1.5 mm ²
		4 x 2P+E - 3 m cord
10		White/Light Grey - 3G 1.5 mm²
10	6 945 62	 Black/Dark Grey - 3G 1.5 mm²
		4 x 2P+E - 5 m cord
10		White/Light Grey - 3G 1.5 mm²
10	6 945 70	 Black/Dark Grey - 3G 1.5 mm²
		5 x 2P+E - 1.5 m cord
10		White/Light Grey - 3G 1.5 mm ²
10	6 945 56	Black/Dark Grey - 3G 1.5 mm²
		5 x 2P+E - 3 m cord
10	6 945 63	White/Light Grey - 3G 1.5 mm ²
10	6 945 64	Black/Dark Grey - 3G 1.5 mm ²
		5 x 2P+E - 5 m cord
10	6 945 71	White/Light Grey - 3G 1.5 mm²
		6 x 2P+E - 1.5 m cord
10		White/Light Grey - 3G 1.5 mm ²
10	6 945 58	■ Black/Dark Grey - 3G 1.5 mm²
		6 x 2P+E - 3 m cord
10		White/Light Grey - 3G 1.5 mm ²
10	6 945 66	■ Black/Dark Grey - 3G 1.5 mm²
		6 x 2P+E - 5 m cord
10	6 945 72	Black/Dark Grey - 3G 1.5 mm ²





EMB Electrical Industries S.A.E.

Headquarter office

Pyramids Heights Office Park KM 22 Cairo - Alex. desert road Building 1B, 12556 Tel.: +202 3536 0000

Fax: +202 3536 0000 www.legrand.eg